EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	4		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 08:40
L5	546		USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 08:41
L6	266		USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 08:41
L7	17		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 08:42
L8			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 08:45
L9	14	(US-20070297353-\$ or US-20030152058-\$ or US-20030091066-\$).did. or (US-7310670-\$ or US-6215798-\$ or US-6240140-\$ or US-7092374-\$ or US-7016676-\$ or US-7027462-\$ or US-4797879-\$ or US-6990116-\$ or US-7289529-\$).did. or (WO-0182550-\$ or US-7151762-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/03/12 08:48
L10	1		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 08:50
L11	1	umts and ((preamble with header) same ((group\$3 set) near3 channel))		OR	ON	2009/03/12 08:51
L12	4		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/03/12 08:52
L13	4			OR	ON	2009/03/12 08:53
L14	6	umts and ((preamble with header) same3 ((repeat\$3 reproduc\$3 duplicat\$3) near3 channel))	.;	OR		2009/03/12 08:53

.15	448	((multi multiple plurality many) near3 channel) same umts	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 08:56
.16	8	((repeat\$3 reproduc\$3 duplicat\$3) with ((multi multiple plurality many) near3 channel)) same umts		OR	ON	2009/03/12 08:57
17	14	(multi adj channel) with umts	;US-PGPUB; ;USPAT; ;USOCR; FPRS; ;EPO; JPO; ;DERWENT; ;IBM_TDB	OR	ON	2009/03/12 08:58
18	40	(multi adj channel) same umts	US-PGPUB; USPAT; USCCR: FPRS; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/03/12 09:00
19	127	(plurality near2 channel) same umts	;US-PGPUB; ;USPAT; ;USCCR; FPRS; ;EPO; JPO; ;DERWENT; ;IBM_TDB	OR	ON	2009/03/12 09:06
20	44	(plurality near2 channel) with umts	(US-PGPUB; \USPAT; \USPCR: FPRS; \EPO; JPO; \DERWENT; \BM_TDB	OR	ON	2009/03/12 09:07
ii	1	"10595827"	US-PGPUB; USPAT	OR	OFF	2009/02/26 15:25
2	0	wo200182550-\$.did.	;US-PGPUB; ;USPAT; ;USOCR; FPRS; ;EPO; JPO; ;DERWENT; ;IBM_TDB	OR	OFF	2009/02/26 15:29
3	0	wo-200182550-\$, did.		OR	OFF	2009/02/26 15:29
 A	0	wo-2001082550-\$.did.	;US-PGPUB; ;USPAT; ;USCCR; FPRS; ;EPO; JPO; ;DERWENT; ;IBM_TDB	OR	OFF	2009/02/26 15:30
35	0	wo-20010082550-\$, djd.		OR	OFF	2009/02/26 15:31
36	0	WO20010082550-\$, did.	US-PGPUB; USPAT; USOCR; FPRS; EPO, JPO; DERWENT; UBM TDB	OR	OFF	2009/02/26 15:32

		WO20010082550-A2.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; (IBM_TD8	OR	OFF	2009/02/26 15:32
38	0	WO20010082550-A1.did.	;USPGPUB; ;USPAT; ;USOCR; FPRS; ;EPO; JPO; ;DERWENT; ;IBM_TD8	OR	OFF	2009/02/26 15:32
9	0	W0200182550-\$.did.	;US-PGPUB; ;USPAT; ;USOCR; FPRS; ;EPO; JPO; ;DERWENT; ;IBM_TDB	OR	OFF	2009/02/26 15:32
310	9	WO-200182550-\$, did.	USPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; JBM_TDB	OR	OFF	2009/02/26 15:33
311	1	"09559817"	US-PGPUB; USPAT; USOCR; FPRS; (EPO; JPO; (DERWENT;) IBM_TDB	OR	OFF	2009/02/26 15:35
312	9	(preamble with header) same ((repeat\$3 repetition) with channel)	USPAT	OR	OFF	2009/02/26 15:45
13	19	(preamble with header) same ((repeat\$3 repetition) with channel)		OR	ON	2009/02/26 15:45
14	0	(preamble with header) same (parellel with channel)	;us-pg-ub; ;us-at; ;us-och; ff-rs; ;epo; Jpo; ;den/en/t; ;ibm_tdb	OR	ON	2009/02/26 15:50
17	21	(preamble with header) same (parallel with channel)	US-PGPUB; USPAT; USOCR, FPRS; EPO_JPO; OERWENT; (JBM TDB	OR	ON	2009/02/26 15:51
18	35	(preamble with header) same ((parallel\$4 ("in the same direction") lateral\$2 duplicat\$3 equivalent\$2 equal) with channel)	USPGPUB; USPAT; USOCR, FPRS; EPO; JPO; OERWENT; (IBM_TDB	OR	ON	2009/02/26 15:57
	233	(preamble with header) and ((parallel\$4) with channel)		OR	ON	2009/02/26 16:02
20	19	(preamble with header) same ((repeat\$3 repetition) with channel)		OR	ON	2009/03/04 10:10

21	413	(header) same ((repeat\$3 repetition) with channel)	US-PGPUB;	OR	ON	2009/03/04
'	110	(Tipopol) with (Tipopolitor) with Originia)	USPAT;	OIT	OIV	10:12
			USOCR; FPRS;		1	
			EPO; JPO;		3	
			;DERWENT; ;IBM_TDB	1		
	4	til same" near3 header) same ((repeat\$3 repetition) with channel)	US-PGPUB;	OR	ON	2009/03/04
			USPAT;		1	10:13
			USOCR; FPRS;		1	
	ì		(EPO; JPO; (DERWENT;	1	1	
			IBM_TDB			
···	0	(repeat\$3 repetition) with ("all" near3 channel))	US-PGPUB;	OR	ON	2009/03/04
			USPAT;	1	1	10:15
			(USOCR; FPRS; (EPO; JPO;		1	
			DERWENT;		1	
 ļ			IBM_TDB	1		
	0	(header) same ((repeat(\$3 repetition) with ("all" with channel))	US-PGPUB;	OR	ON	2009/03/04
			USPAT; USOCR; FPRS;		1	10:15
			(USOUR, FPRS, (EPO; JPO;	1	1	
			DERWENT;	3	1	
			IBM_TDB	1		
	56	(header) same ((repeat\$3 repetition) with ((multiple multi plurality many) with channel))	(US-PGPUB; ;USPAT;	OR	ON	2009/03/04 10:16
			USOCR; FPRS;		1	10.10
			EPO; JPO;		1	
			DERWENT;			
3	353	(repeat\$3 repetion) with (parallel adjacent) with (multiple multi many plurality) with channel	\IBM_TDB \US-PGPUB;	OR	ON	2009/03/04
	333	grepeacys repeation) with (parallel adjacent) with (multiple multi many pionality) with channel	USPAT;	Un	ON	10:19
			USOOR; FPRS;		1	
			EPO; JPO;		1	
			{DERWENT; }IBM_TDB			
7	{1	S26 and (preamble same header)	US-PGPUB;	OR	ON	2009/03/04
			USPAT;	1	ì	10:38
			USOCR; FPRS;	}	1	
			(EPO; JPO; (DERWENT;		1	
			IBM_TDB			
}	0	W00182550-\$.did.		OR	OFF	2009/03/09
			USPAT;	}	1	12:09
			USOCR; FPRS; EPO; JPO;	1	1	
			DERWENT;		1	
	}		IBM_TDB	1		1
	25428	370/229,230,300,302,304,326,329,330,343,345,390,431,432,433,436,445,450,454,459,468,470,471,474,478,482,492,498,506,507,509,518,536,ccls.		OR	OFF	2009/03/09
			USPAT; USOCR; FPRS;	1	1	12:43
			EPO; JPO;	3	i i	
			DERWENT;			
	}		IBM_TDB	1		
	11	SS9 and ((preamble with header) same (parallel with channel))	US-PGPUB; USPAT;	OR	ON	2009/03/09 12:43
			USOCR; FPRS;	1	1	12.40
			(EPO; JPO;	1	1	
			DERWENT; IBM_TDB	1		
	30691	: 370/229 230 300 302 304 326 329 330 343 345 390 431 432 433 436 445 450 454 459 468 470 471 474 478 482 492 498 506 507 509 518 536 389 cds.	US-PGPUB;	OR	OFF	2009/03/09
		, , , , , , , , , , , , , , , , , , ,	USPAT;			12:45
			USOCR; FPRS;	3	i i	}
			EPO; JPO; DERWENT;		1	
			IBM_TDB			
	12	S31 and ((preamble with header) same (parallel with channel))	US-PGPUB;	OR	ON	2009/03/09
			USPAT;		1	12:45
			USOCR; FPRS; EPO; JPO;		1	
			DERWENT;	1	1	
			IBM_TDB			

S33	2	\$31 and ((preamble with header) same (parallel with channel with (plurality multi multiple)))	;US-PGPUB;	OR	ON	2009/03/09
			USPAT; USOOR; FPRS; EPO; JPO; OERWENT; JBM_TDB			12:47
34	5	(preamble with header) same ((repeat\$3 repetition) with ((multiple multi plurality many) with channel))	(US-PGPUB) (USPAT; (USOCR, FPRS; (EPO; JPO; (DERWENT; (BM_TDB	OR	ON	2009/03/09 12:47
35	1	WO-0182550-\$.did.	(US-PGPUB; (USPAT; (USOCR, FPRS; (EPO; JPO; (DERWENT; (IBM_TDB	OR	OFF	2009/03/09 13:42
36	1	2002-240291.NRAN.		OR	OFF	2009/03/09 13:42
337	9397	arts with cts	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; (BM_TDB	OR	ON	2009/03/09 14:24
		S37 with ack	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/03/09 14:24
39	99	S38 same nav	(US-PGPUB; (USPAT; (USOCR, FPRS; EPO; JPO; (DERWENT; (BM_TDB	OR	ON	2009/03/09 14:24
40	25	S39 and ((plurality multiple multi) near channel)	(US-PGPUB; (USPAT; (USOCR, FPRS; (EPO; JPO; (DERWENT; (BM_TDB	OR	ON	2009/03/09 14:25
41	25	S39 and ((plurality multiple multi group\$3) near channel)	(US-PGPUB) (USPAT; (USOCR, FPRS; (EPO; JPO; (DERWENT; () BM_TDB	OR	ON	2009/03/09 14:44
	15	header with preamble with ((plurality multiple multi group\$3) near channel)	USPAT; USOCR; FPRS; EPO; JPO; (DERWENT; (IBM_TDB	OR	ON	2009/03/09 14:47
344	1	2005-456003.NPAN.	DERWENT	OR	OFF	2009/03/09 14:47
	21	header same preamble same data same ((plurality multiple multi group\$3) near channel)	US-PGPUB; US-PGT; US-OCR; FPRS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/09 14:50
346	0	irts same cts same nav same ack same cmsa	(US-PGPUB; (USPAT; (USOCR; FPRS; (EPO; JPO; (DERWENT; (BM_TDB	OR	ON	2009/03/09 14:54

S47		rts same ds same nav same ack and crisa.	USPAT; USOCR, FPRS; EPO; JPO; DERWENT; IBM_TOB	OR	ON	2009/03/09 14:55
S48	12	(preamble with header with data) same ((repeat\$3 repetition) with channel)	(US-PCPUB; USPAT; USOCR, FPRS; EPO; JPO; DERWENT; (BM_TOB	OR	ON	2009/03/09 15:14
S49	1	-7310670°.pn.	USPAT	OR	OFF	2009/03/10 08:17
\$50	149	preamble near4 (repeat\$3 duplicat\$3 reproduc\$3 correspond\$3 mirror\$3) with channel	USPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; !BM_TDB	OR	ON	2009/03/10 08:40
351	7	(preamble and header) near4 (repeat\$3 duplicat\$3 reproduc\$3 correspond\$3 mirror\$3) with channel		OR	ON	2009/03/10 08:40
		(preamble with header) near4 (repeat\$3 duplicat\$3 reproduc\$3 correspond\$3 mirror\$3) with channel	US-PGPUB; USPAT; USOCR; FFRS; EFO; JFO; DERWENT; JBM TDB	OR	ON	2009/03/10 08:41
353	36	irts same cts same nav same ack same csma	US-PCPUB; USPAT; USOCR, FPRS; EPO; JPO; DERWENT; JBM TDB	OR	ON	2009/03/10 12:01
S54	9405	rts with cts	USPGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:13
	576	SS4 with ack	USPAT; USOCR, FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:13
S56	49	SS5 with nav	US-PGPUB; USPAT; USOCR, FPRS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/10 14:13
S57	22	SS6 and (back\$off and idle)		OR	ON	2009/03/10 14:14
S58	22	SS6 and (back\$off and idl\$3)	US-PGPUB; USPAT; USOCR, FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:14

359	}1	(\$56 and (back\$off and idl\$3 and (block\$3 near3 channel))		OR	ON	2009/03/10
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; JBM_TDB	1		14:56
60	9	;556 and (back\$off and idl\$3 and (block\$3 with channel))	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/10 14:56
61	13	S56 and (back\$off and idl\$3 and ((prevent\$3 stop\$4 obstruct\$3) with channel))	US PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/10 14:59
62	167	irts same dis same ack same nav	(US-PGPUB; USPAT; USOCR, FPRS; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/03/10 15:01
63	12	'962 and ((back\$off and idl\$3) same ((prevent\$3 obstruct\$3 block\$3) near3 channel))	US PGPUB; USPAT; USOCR, FPRS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/10 15:03
64	67	:((back\$off and idl\$3) same ((block\$3) near3 channel))	(US-PGPUB; (USPAT; (USOCR, FFRS; (EPO; UPO; (DERWENT; (IBM_TDB	OR	ON	2009/03/10 15:04
65	1	:((back\$off and (idl\$3)) same ((blocked blocking) near3 channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 15:08
66	151	i(((idl\$3)) same ((blocked blocking) near3 channell))	(US-PGPUB; \USPAT; \USOCR, FPRS; \EPO; \PO; \DERWENT; \BM_TDB	OR	ON	2009/03/10 15:09
67	60	;(((idl\$3 near3 channel)) same ((blocked blocking) near3 channel))	US-PGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; (BM_TDB	OR	ON	2009/03/10 15:09
68	389	(((idl\$3 near3 channel)) same ((blocked blocking blocks) near3 channel))	(US-PGPUB; (USPAT	OR	ON	2009/03/10 15:14
 69	22	((idl\$3 near3 channel)) same ((blocked blocking blocks) near3 channel) and csma	US-PGPUB; USPAT	OR	ON	2009/03/10 15:15
70	27	((idl\$3 near3 channel)) same ((blocked blocking blocks) near4 channel) and csma		OR	ON	2009/03/10 15:18
71	26	:((idl\$3 near3 channel)) same ((prevent\$3) near4 channel) and csma	······································	OR	ON	2009/03/10 15:19
72	37	:((idl\$3 near3 channel)) same ((allow\$3) near4 channel) and csma	US-PGPUB; USPAT	OR	ON	2009/03/10 15:43
73	3	((idl\$3 near3 channell)) same ((blocking blocked) near4 channel) and csma		OR	ON	2009/03/10 15:48
574	7	((idl\$3 near3 channel)) same ((blocking blocked) with channel) and csma	USPAT	OR	ON	2009/03/10 15:48
75	17	((idl\$3 near3 channel)) same ((jam\$4) with channel) and csma	US-PGPUB; USPAT	OR	ON	2009/03/10 15:50

376	1	;2002-240291.NRAN.	DERWENT	OR	OFF	2009/03/10 15:58
77	0	("all" near2 channel near3 vidi\$3)	US PGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; ;IBM_TD8	OR	ON	2009/03/10 16:04
78	0	all" near2 channel near3 idl\$3)	;US-PGPUB; ;USPAT	OR	ON	2009/03/10 16:05
79	0	("all" with channel with idl\$3)	;US-PGPUB; ;USPAT	OR	ON	2009/03/10 16:05
30	0	("not used" with channel with idl\$3)	;US-PGPUB; ;USPAT	OR	ON	2009/03/10 16:06
31	381	idl\$3 with ((plurality multiple multi) near channel)	(USPGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/10 16:08
32	7	idIS3 with ((plurality multiple multi) near channel) with block\$3	USPGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:08
33	13	idI\$3 with ((plurality multiple multi) near channel) with (block\$3 reserv\$3)	US-PGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:10
4	21	:((idl\$3 near3 channel)) same ((reserv\$3) near4 channel) and csma	US-PGPUB; USPAT	OR	ON	2009/03/1 16:12
35	8545	cts with (free)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/1 12:44
66	9	icts with (free adj channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/1 12:44
7	610	cts with rts with (channel)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/1 12:46
	144	cds with rts with (channel) with frame	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/1 12:46
39	<u>1</u>	cts with rts with (channel) with frame with (blocking blocked)	US-PGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/1 12:46
90	144	cds with rts with (channel) with frame	US-PGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; (BM_TDB	OR	ON	2009/03/1 12:46

 391	515	(hybrid point) adj coordinator	(US-PGPUB;	OR	ON	2009/03/11
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		ON	13:35
		991 with beacon	(US-PGPUB; (USPAT; (USOCR: FPRS; (EPO; JPO; (DERWENT; (IBM_TDB	OR	ON	2009/03/11 13:36
		S91 same ((plurality multi multiple many) near3 channel)	US PGPUB; USPAT; USOOR, FPRS; EPO; JPO; (DERWENT; (BM_TDB	OR	ON	2009/03/11 13:37
94		991 and ((plurality multi multiple many) near3 channel)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/11 13:37
		S94 and S92	USPAT; USOCR: FPRS; EPO; JPO; DERWENT; (IBM_TDB	OR	ON	2009/03/11 13:38
96	13	991 with (block\$3 jam\$4)	(US-PGPUB; (USPAT; (USOCR; FPRS; (EPO; JPO; (DERWENT; (IBM_TOB	OR	ON	2009/03/11 13:39
	38	S91 same (block\$3 jam\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 13:41
		S91 same (prevent\$3 jam\$4)	USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/03/11 13:45
99	1	931 with beacon with (parallel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 14:02
100		;S31 with beacon same (parallel)	(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; (DERWENT; (IBM_TDB	OR	ON	2009/03/11 14:03
101	8	S91 with beacon same (parallel simultaneous\$2 synchroniz\$5)	US PGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; (BM_TDB	OR	ON	2009/03/11 14:03
3102	12	392 and ((plurality multi multiple many) near3 channel)	(US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; (DERWENT;) BM_TDB	OR	ON	2009/03/11 14:05

	,,,,,,,,,,,,,,,,,,		. ,	,	,	
S103		991 same (resen/\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 14:25
S104	11	991 with (reserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 14:25
S105	2	7151762° pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 14:27
S106	16102	(hybrid point) adj coordinat\$3	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/03/11 14:32
S107	37	S106 same beacon same (jam\$4 reserv\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 14:33
S108	169052	(channel near3 (group set)) free with (blocking blocked reserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 15:39
S109	36	(channel near3 (group set)) with free with (blocking blocked reserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 15:39
S110	78	((channel near3 (group set)) with free) same (blocking blocked reserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 15:52

3/12/2009 11:43:18 AM C:\ Documents and Settings\ belliott\ My Documents\ EAST\ Workspaces\ 10595827.wsp